



# HP7 **2K**

## Smart Home Video Doorphone

### A connected choice for safer, smarter home access

It's time to upgrade your old intercom to be internet connected, remotely accessible and app controllable. EZVIZ's first-ever HP7 Video Doorphone maximizes the convenience for homeowners to view, talk, and grant access to visitors even if they're not home. It also enhances home safety, as the 2-in-1 outdoor camera and phone helps record videos in 2K clarity and detect people with real-time mobile notifications.



2K  
Resolution



7-Inch Color  
Touch Screen



Remote Door/Gate  
Unlock<sup>1</sup>



2-Wire



Smart Human  
Motion Detection



Two-Way Talk  
(Supports voice  
changer feature)



Built-In Doorbell with  
Multiple Ringtones



Smart RFID Unlock  
(3 tags included)



Weatherproof  
Design



3 Name Cards  
Included



Supports 2.4 / 5 GHz  
Dual-Band Wi-Fi



Supports MicroSD Card  
(Up to 512 GB) & EZVIZ  
CloudPlay Storage<sup>2</sup>

# Built to be reliable for houses and villas

The HP7 is ideal for anyone who seeks to replace their bulky intercom in a renovated home, or for those who are moving into a spacious villa and need convenient communication and confident security. This stylish kit combines a 2-in-1 outdoor video doorbell with a large indoor monitor and easily fits any home style.



**2-Wire Installation**  
(Also compatible with 4-wire systems)

## Wire Length



**Waterproof Doorphone**



**Gate/Door Dual Controls<sup>1</sup>**





## Manage your door easily - even remotely

Heavy dangling keys can now be history. The HP7 provides far easier access controls while adding visual protection to verify your visitors.



**Swipe open with smart RFID**  
(3 tags included)



**Unlock via the indoor monitor**



**Open the door using the EZVIZ App**

## An all-in-one touch monitor to communicate & control

The 7-inch color touch screen is where you set up and manage your outdoor doorphone, respond to visitors, and save important video clips. Whenever a visitor rings your door, the indoor screen will automatically light up to let you know who's outside.

### ***Versatile features***


**Crisp live viewing**

**Two-way talk**

**Gate/Door unlock**

**Video history and storage**

(Supports microSD card of up to 512 GB)





## It's easier than ever to respond from afar

Even if you're not home, the HP7 makes sure you don't miss a visitor. You can always use your phone to stay connected, and open the door for guests remotely. When responding to uninvited strangers, you can enable change the voice feature to keep yourself unidentified and to add another layer of protection.



Two-way Talk



Remote Unlock




Voice Changer for  
Privacy Protection

Hi, you have a delivery.



Thank you, please leave  
that outside the door.



## Stunning 2K



## Next-level vision for a home intercom

The HP7 is designed to render ultra-wide and clear imaging, from day to night. With a 162-degree viewing angle and 2K lens, you can easily see a postman from head to toe without pixelated or blurry details. The HP7 camera also provides 5-meter infrared night vision for peace-of-mind 24/7.





# Enhanced security with smart human motion detection

Whenever the HP7 video doorbell detects human activity at your front door, it will send you mobile notifications right away in case there's an uninvited guest. You can always fine-tune the detection sensitivity and set up specific detection zones to reduce unwanted alerts.

 Smart Human Motion Detection

 Customizable Detection Zone

 Adjustable Detection Sensibility

**FREE** No Subscription Fee



## Thoughtful features for additional convenience



Know the right door to knock with backlit name cards




Customize your pleasant ring with multiple ringtone choices<sup>3</sup>



## Elegant design elevates your front door

---

The HP7 kit adopts a refined, minimalist look, with a simple, consistent glossy black for both devices. A standout from traditional intercoms, the HP7 satisfies modern tastes for a stylish home. The indoor monitor screen also maximizes the touch area, enhancing the whole user experience.



## Steady connection for boosted performance

---

To maximize the connected experience with remote controls, you can connect the indoor monitor to either the 2.4 or 5 GHz band. Enjoy strong Wi-Fi with lower latency, larger bandwidth, and a stable signal.





## Enhanced viewing pleasure with smaller video files

Compared against the prevailing H.264 video compression technology, H.265 creates a more fluid viewing experience with recorded footage. Meanwhile, you won't have to worry about large video files taking up too much of your storage space – H.265 technology can reduce their sizes by up to 50%<sup>4</sup>.

**50%** ↓  
Video Storage Space


**50%** ↓  
Required Bandwidth

## Extra-Large, safe storage options that you can trust

You can secure your recorded videos on a local microSD card of up to 512 GB, or subscribe to EZVIZ CloudPlay for fully-encrypted cloud storage.



Supports MicroSD Card<sup>2</sup>



Supports EZVIZ CloudPlay Storage<sup>2</sup>


# We do our best to protect your data and privacy

We design the product to respectfully protect your data and privacy. You can also set up no filming zones<sup>6</sup> to make sure recording only happens when it's appropriate and allowed.



EZVIZ has been awarded by DNV for **information security** (ISO/IEC 27001:2013), **personal data protection** (ISO/IEC 27701:2019), **cloud security** (CSA STAR) and more.

Privacy Zone<sup>6</sup>



## AES-128

Data Encryption

## TLS

Data Transmission Encryption

1 To check the installation requirements and product compatibility, please refer to the User Manual for detailed information.

2 The local storage card must be purchased separately. The cloud storage service is only available in certain markets. Please verify the availability before making a purchase.

3 Users are able to customize the ringtone sent by the indoor display by touch controls or via the EZVIZ App. The outdoor doorbell only provides one default ringtone and cannot be customized.

4 Data from EZVIZ Lab's test results under standard conditions. Will vary with the frequency and complexity of the activity captured, and other environmental factors.



# Specifications

CS-HP7-R100-1W2TFC

## Outdoor Doorbell

|                   |                                                                        |
|-------------------|------------------------------------------------------------------------|
| Image Sensor      | 1/2.7" Progressive Scan CMOS (Supports low light sensitivity)          |
| Lens              | 2.0 mm @ F2.2,viewing angle: 162° (Diagonal)                           |
| Day & Night       | IR-cut filter with auto-switching, 850 nm infrared light × 2 (max. 6m) |
| Max. Resolution   | 2048 × 1296                                                            |
| DNR               | 2D / 3D DNR                                                            |
| Video Compression | H.265 / H.264                                                          |
| Frame Rate        | Max: 15fps; Self-Adaptive during network transmission                  |

## Connection and Function

|                                   |                                                                                                                                                                                                                                                  |
|-----------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Connection Method                 | Wired connection (2-Wired, capable with 4-Wired), digital signal transmission                                                                                                                                                                    |
| Transmission Distance             | Φ 2 x 0.75mm <sup>2</sup> , max. 50m<br>Φ 2 x 1.5mm <sup>2</sup> , max. 100m<br>Twisted pair, max. 120m                                                                                                                                          |
| Open the door (Gate)              | Support 2 wiring ports. 1-10m distance.<br>The intercom panel provides a “dry”-contact connection, without an electric current, to connect to the button for automated gate, gate breaking capacity: 12V / 2A                                    |
| Unlock<br>(Electric strike plate) | Support 2 wiring ports. 1-10m distance.<br>The electric strike plate or lock that you order must have a mechanical memory; the power supply to the electric strike plate or lock must not exceed 12V / 1.1A, otherwise should do as user manual. |
| Door Open Methods                 | 1.RFID badge unlock (Badges × 3 pcs)<br>2.App remote unlock<br>3.Indoor display unlock                                                                                                                                                           |

## Outdoor Doorbell Interface

|                 |                                                                                                                                |
|-----------------|--------------------------------------------------------------------------------------------------------------------------------|
| Audio Input     | Built-in high-sensitivity microphone                                                                                           |
| Audio Output    | Built-in high-power speaker                                                                                                    |
| Doorbell Button | Yes. The light can be set on or off.                                                                                           |
| Name Card       | Three handwritten name cards in total (one already on the intercom panel). The light can be set on or off.                     |
| Terminal        | Two wiring ports to connect screen.<br>Two wiring ports to connect gate.<br>Two wiring ports to connect electric strike plate. |

## Functions

|                   |                                                   |
|-------------------|---------------------------------------------------|
| Intelligent Alarm | Smart human motion detection, Lingering Detection |
| Tamper Alarm      | Supports                                          |
| Video Intercom    | Long-distance video two-way talk                  |

## General

|                      |                                                       |
|----------------------|-------------------------------------------------------|
| Operation Conditions | -30°C to 60°C , Humidity 95% or less (non-condensing) |
| IP Grade             | Waterproof, with shield cover                         |
| Size                 | 161 × 87 × 20 mm (6.34 × 3.42 × 0.79 inch)            |



# Specifications

CS-HP7-R100-1W2TFC

## Interior Display

|              |                 |
|--------------|-----------------|
| Display size | 7" touch screen |
| Resolution   | 1024 × 600      |

## Interface

|              |                                                                                                                                                                                       |
|--------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Audio Input  | Built-in high-sensitivity microphone                                                                                                                                                  |
| Audio Output | Built-in high-power speaker                                                                                                                                                           |
| Button       | Screen On / Off Button                                                                                                                                                                |
| Terminal     | Two wiring ports to connect 1st outdoor doorbell.<br>Two wiring ports to connect 2nd outdoor doorbell.<br>Two wiring ports to connect extra interior screen (not included in the kit) |
| Storage      | Supports microSD card up to 512 GB<br>Supports EZVIZ Cloud storage                                                                                                                    |

## Network Parameters

|                    |                                  |
|--------------------|----------------------------------|
| Protocol           | EZVIZ Cloud Proprietary Protocol |
| Interface Protocol | EZVIZ Coud Proprietary Protocol  |
| Protocol           | EZVIZ Connect Protocol           |

## Wi-Fi Parameters

|                   |                                                         |
|-------------------|---------------------------------------------------------|
| Wi-Fi Standard    | IEEE802.11b, 802.11g, 802.11n, 802.11ac                 |
| Frequency Range   | 2.4G: 2.4 GHz ~ 2.4835 GHz<br>5G: 5.15 GHz ~ 5.25 GHz   |
| Channel Bandwidth | Supports 20MHz                                          |
| Security          | 64 / 128-bit WEP,WPA / WPA2, WPA-PSK / WPA2-PSK         |
| Transmission Rate | 11b: 11Mbps, 11g: 54Mbps, 11n: 150Mbps, 11ac: 433.3Mbps |

## Function

|                    |                                               |
|--------------------|-----------------------------------------------|
| Multiple ringtones | Up to 20 ringtones                            |
| Functions          | Live view, playback, two-way talk, video call |

## General

|                      |                                                                 |
|----------------------|-----------------------------------------------------------------|
| Operation Conditions | -10°C to 45°C, humidity 95% or less (non-condensing)            |
| Weight               | Net weight: 855 g (30.16 oz)<br>With package: 1825 g (64.37 oz) |
| Size                 | 180 × 111 × 15 mm (7.09 × 4.37 × 0.59 inch)                     |
| Power Supply         | DC 24V / 1A power supply, adaptor (100- 240Vac)                 |
| Power Consumption    | 8W, Max. 24W                                                    |

## In the box

- Monitor
- Wall Bracket for Monitor
- Power Adapter for Monitor
- Drill Template for Monitor
- Intercom Panel
- Drill Template for Intercom Panel
- Screwdriver
- Badges (×3)
- Screw Kit (×2)
- Name Card (×2)
- Wires and Wire Connectors
- DC 24V Power Supply Jack Connector Cable
- Regulatory Information (×2)
- Quick Start Guide

## Certifications

CE / REACH / WEEE / RoHS

Specifications are subject to change without notice. "  ", "EZVIZ" and other trademarks and logos are the properties of EZVIZ in various jurisdictions.