





STATE WHEN ORDERING

COW = mm
CL = mm
SBL = mm
LAP = mm
G = mm
DW = mm
Door weight = kg

Surface treatment
Silver anodized

	Alt.1	Alt.2	
Overlap (min. 20mm)	LAP	LAP	 x2 =
Finger protection (min. 25mm)	E	E	 x2 =
Finger protection (min. 25mm)	-	F	 x2 =
Jamb width (min. 30mm)	J	J	 x2 =
Leading edge width	-	P	 x2 =
Sum of above			Sum =

Alt.1 COW = K K =
Alt.2 COW + 2P + 2F = K K = (K + 2LAP - G) / 2 = DW DW =

Cover length CL (CL - Sum) / 2 = = COW max.
Door travel COW (COW x2) + Sum = = CL min.

Customer:

Door id:

Project No:

Ref:



Date:

Sign:

Sliding door operator
ASSA ABLOY SL300-2
Art. No. 1021182

ASSA ABLOY

2.0 1021177-en



STATE WHEN ORDERING

COW = mm
CL = mm
SBL = mm
LAP = mm
G = mm
DW = mm
Door weight = kg

Surface treatment
Silver anodized

	Alt.1	Alt.2	
Overlap (min. 20mm)	LAP	LAP	
Finger protection (min. 25mm)	E	E	
Finger protection (min. 25mm)	-	F	
Jamb width (min. 30mm)	J	J	
Cover overlap (min. 100mm)	M	M	
Leading edge width	-	P	
Sum of above	Sum =		

Alt.1 COW = K	K =		
Alt.2 COW + P + F = K	K =	K + LAP - G = DW	DW =
Cover length CL	(CL - Sum) / 2 = = COW max.		
Door travel COW	(COW x2) + Sum = = CL min.		

Customer:

Door id:

Project No:

Ref:

Date:




Sign:

Sliding door operator
ASSA ABLOY SL300-L
Art. No. 1021508

ASSA ABLOY

2.0

1021177-en



STATE WHEN ORDERING

COW = mm
CL = mm
SBL = mm
LAP = mm
G = mm
DW = mm
Door weight = kg

Surface treatment
Silver anodized

	Alt.1	Alt.2	
Overlap (min. 20mm)	LAP	LAP	
Finger protection (min. 25mm)	E	E	
Finger protection (min. 25mm)	-	F	
Jamb width (min. 30mm)	J	J	
Cover overlap (min. 100mm)	M	M	
Leading edge width	-	P	
Sum of above	Sum =		

Alt.1 COW = K K =
Alt.2 COW + P + F = K K = K + LAP - G = DW DW =

Cover length CL (CL - Sum) / 2 = = COW max.
Door travel COW (COW x2) + Sum = = CL min.

Customer:

Door id:

Project No:

Ref:

Date:

Sign:

Sliding door operator
ASSA ABLOY SL300-R
Art. No. 1021508

ASSA ABLOY

2.0 1021177-en